

کاتالوگ پیچ اتاقی

Carriage Bolt

DIN 603

دیا پیچ


دفتر تهران : ۰۲۱۶۵۴۲۲۵۸۲

۰۲۶۳۴۷۲۷۹۴۹

آدرس : کمالشهر، بلوار بهشتی، نبش ظفر ۶، پلاک ۱

۰۹۳۹۱۶۸۷۵۸۰  www.diapich.com 

  @diapich  diapich2@gmail.com



دیا پیچ

دفتر تهران : ۰۲۱۶۵۴۲۲۵۸۲

۰۲۶۳۴۷۲۷۹۴۹

آدرس : کمالشهر، بلوار بهشتی، نبش ظفر ۶، پلاک ۱

۰۹۳۹۱۶۸۷۵۸۰  www.diapich.com

  @diapich  diapich2@gmail.com

d		M5	M6	M8	M10	M12	M16	M20
screw Thread								
P	pitch	0.8	1	1.25	1.5	1.75	2	2.5
b	$L \leq 125$	16	18	22	26	30	38	46
	$125 < L \leq 200$	22	24	28	32	36	44	52
	$L > 200$	/	/	41	45	49	57	
d _k	max	13.55	16.55	20.65	24.65	30.65	38.8	46.8
	min	12.45	15.45	19.35	23.3	29.35	37.2	45.2
d _s	max	5	6	8	10	12	16	20
	min	4.52	5.52	7.42	9.42	11.3	15.3	19.16
K ₁	max	4.1	4.6	5.6	6.6	8.75	12.9	15.9
	min	2.9	3.4	4.4	5.4	7.25	11.1	14.1
k	max	3.3	3.88	4.88	5.38	6.95	8.95	11.05
	min	2.7	3.12	4.12	4.62	6.05	8.05	9.95
r ₁	~	10.7	12.6	16	19.2	24.1	29.3	33.9
r ₂	max	0.5	0.5	0.5	0.5	1	1	1
r ₃	max	0.75	0.9	1.2	1.5	1.8	2.4	3
s	max	5.48	6.48	8.58	10.58	12.7	16.7	20.84
	min	4.52	5.52	7.42	9.42	11.3	15.3	19.16