



کاتالوگ پیچ شش گوش HV

HV Hexagon Head Bolts

DIN 6914

دیا پیچ


دفتر تهران : ۰۲۱۶۵۴۲۲۵۸۲

۰۲۶۳۴۷۲۷۹۴۹

آدرس : کمالشهر، بلوار بهشتی، نبش ظفر ۶، پلاک ۱

۰۹۳۹۱۶۸۷۵۸۰  www.diapich.com 

  @diapich  diapich2@gmail.com



d	p	b		ds		k		s	
		Max	Min	Max	Min	Max	Min	Max	Min
M12	1.75	23	21	12.7	11.3	8.45	7.55	22	21.16
M16	2	28	26	16.7	15.3	10.75	9.25	27	26.16
M20	2.5	33	31	20.84	19.16	13.9	12.1	32	31
M22	2.5	34	32	22.84	21.16	14.9	13.1	36	35
M24	3	37	34	24.84	23.16	15.9	14.1	41	40
M27	3	39	37	27.84	26.16	17.9	16.1	46	45
M30	3.5	42	40	30.84	29.16	20.05	17.95	50	49
M36	4	50	48	37	35	24.05	21.95	60	58.8

d	M12	M16	M20	M22	M24	M27	M30	M36
L	Mass per 1000 units in kg ~							
30	49.1	-	-	-	-	-	-	-
35	53.6	-	-	-	-	-	-	-
40	58.0	105	-	-	-	-	-	-
45	62.1	113	188	-	-	-	-	-
50	66.6	121	200	257	-	-	-	-
55	71.0	129	212	272	-	-	-	-
60	75.4	137	225	286	362	-	-	-
65	79.9	145	237	301	380	-	-	-
70	84.3	153	249	316	398	532	-	-
75	88.8	160	262	331	415	554	701	-
80	93.2	168	274	346	433	576	728	-
85	97.6	176	286	361	451	599	756	1184
90	102	184	298	375	467	621	784	1224
95	107	192	310	390	485	644	812	1264
100	-	199	322	405	503	665	838	1304
105	-	207	335	420	520	688	865	1336
110	-	215	347	435	538	710	893	1376

d	M12	M16	M20	M22	M24	M27	M30	M36
L	Mass per 1000 units in kg ~							
115	-	223	359	450	556	732	921	1415
120	-	231	372	465	574	755	949	1455
125	-	239	384	479	591	777	976	1495
130	-	247	396	494	609	800	1004	1535
135	-	-	409	509	627	822	1032	1575
140	-	-	421	524	645	845	1056	1615
145	-	-	433	539	662	867	1087	1655
150	-	-	446	554	680	890	1115	1695
155	-	-	458	569	698	912	1143	1735
160	-	-	-	584	716	935	1170	1775
165	-	-	-	599	733	957	1198	1815
170	-	-	-	-	751	979	1226	1855
175	-	-	-	-	769	1002	1254	1895
180	-	-	-	-	787	1024	1281	1935
185	-	-	-	-	804	1047	1309	1974
190	-	-	-	-	822	1069	1337	2014
195	-	-	-	-	840	1092	1365	2054
200	-	-	-	-	-	1114	1392	2094